

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
12 September 2002 (12.09.2002)

PCT

(10) International Publication Number  
**WO 02/069781 A2**

(51) International Patent Classification:

**A61B**

(74) Agents: JOHNSON, Philip, S., et al.; Johnson & Johnson,  
1 Johnson & Johnson Plaza, New Brunswick, NJ 08933  
(US).

(21) International Application Number: PCT/US01/44167

(22) International Filing Date:

14 November 2001 (14.11.2001)

(81) Designated States (*national*): AF, AG, AI, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI,  
SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA,  
ZW.

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/252,561 22 November 2000 (22.11.2000) US  
09/891,068 25 June 2001 (25.06.2001) US

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,  
TG).




(71) Applicant: ETHICON, INC. [US/US]; U.S. Route 22,  
Somerville, NJ 08876 (US).

(72) Inventors: ULMSTEN, Ulf; Ridvagen 18D, S-182 35  
Danderyd (SE). KAMMERER, Gene, W.; 14 Stephens  
Dr., East Brunswick, NJ 08816 (US).

[Continued on next page]

(54) Title: IMPROVED SURGICAL INSTRUMENT AND METHOD FOR TREATING FEMALE URINARY INCONTINENCE

(57) Abstract: The invention relates to a surgical instrument and a method for treating female urinary incontinence. A tape or mesh is permanently implanted into the body as a support for the urethra. In one embodiment, portions of the tape comprise tissue growth factors and adhesive bonding means for attaching portions of the tape to the pubic bone. In a further embodiment, portions of the tape comprise attachment means for fastening portions of the tape to fascia within the pelvic cavity. In both embodiments the tape is implanted with a single incision through the vaginal wall.



**WO 02/069781 A2**



**Published:**

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## IMPROVED SURGICAL INSTRUMENT AND METHOD FOR TREATING FEMALE URINARY INCONTINENCE

### CROSS REFERENCE TO RELATED APPLICATION

This application claims the benefit of earlier-filed United States provisional patent application, serial number 60/252,561, filed on November 22, 2000, which is incorporated herein by reference in its entirety.

### FIELD OF THE INVENTION

The invention relates to a surgical instrument and a method for treating female urinary incontinence, i.e. the incapacity of controlling the discharge of urine.

### BACKGROUND OF THE INVENTION

Women account for more than 11 million of incontinence cases. Moreover, a majority of women with incontinence suffer from stress urinary incontinence (SUI). Women with SUI involuntarily lose urine during normal daily activities and movements, such as laughing, coughing, sneezing and regular exercise.

SUI may be caused by a functional defect of the tissue or ligaments connecting the vaginal wall with the pelvic muscles and pubic bone. Common causes include repetitive straining of the pelvic muscles, childbirth, loss of pelvic muscle tone, and estrogen loss. Such a defect results in an improperly functioning urethra. Unlike other types of incontinence, SUI is not a problem of the bladder.

Normally, the urethra, when properly supported by strong pelvic floor muscles and healthy connective tissue, maintains a tight seal to prevent involuntary loss of urine. When a woman suffers from the most common form of SUI, however, weakened muscle and pelvic tissues are unable to adequately support the urethra in its correct position. As a result, during normal movements when pressure is exerted on the bladder from the diaphragm, the urethra cannot retain its seal, permitting urine to escape. Because SUI is both embarrassing and unpredictable, many women with SUI avoid an active lifestyle, shying away from social situations.

United States Patent 5,899,909 discloses a surgical instrument comprising a shank having a handle at one end and connecting means at the other end to receive, one at a time, two curved needle-like elements which are connected at one end to one end of a tape intended to be implanted into the body. In practice, the  
5 tape is passed into the body via the vagina first at one end and then at the other end at one side and the other, respectively, of the urethra to form a loop around the urethra, located between the urethra and vaginal wall. The tape is extended over the pubis and through the abdominal wall and is tightened. The tape ends are cut at the abdominal wall, and the tape is left implanted in the body. U.S. patent no.  
10 5,899,909 is hereby incorporated by reference in its entirety herein.

This invention simplifies the apparatus and method of the instrument and method prior art and provides for a safe and effective method of placing a tape mesh in a sling relationship with the urethra.

15 SUMMARY OF THE INVENTION

The object of the invention is to provide an improved and simplified surgery to restore urinary continence.

For this purpose the invention provides a surgical instrument for treating female urinary incontinence of the kind referred to above, comprising a tape or  
20 mesh (hereinafter collectively referred to as "tape") to be permanently implanted into the body as a support for the urethra. In one embodiment, portions of the tape comprise tissue growth factors and adhesive bonding means for attaching portions of the tape to the pubic bone. In a further embodiment, portions of the tape comprise attachment means for fastening portions of the tape to fascia within  
25 the pelvic cavity.

The invention also provides for a method for treating female urinary incontinence comprising the steps of creating an access way to the pelvic cavity via the vagina; passing a tape into the body via the access way first passing one end of the tape on one side of the urethra; passing the second end of the tape on  
30 the opposite side of the urethra to form a loop around the urethra, the tape located between urethra and the vaginal wall; and attaching the ends of the tape to the pubic bone or surrounding fascia. Preferably, in each embodiment the tape is left permanently in the body to provide, as an artificial ligament, the

reinforcement of the tissue required in order to restore the urinary continence, and/or to provide said reinforcement by the development of fibrous tissue.

The object of the invention is to provide a surgical instrument and method for implanting a mesh to treat incontinence that does not require penetration of the abdomen.

An advantage of the invention is that it reduces the risk of perforating unintended body structures when carrying out the procedure.

These and other features and advantages of the present invention will become apparent from the following more detailed description, when taken in conjunction with the accompanying drawings which illustrate, by way of example, the principles of the invention.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1a-c are alternate embodiments of the tape;

FIG. 2 is a cut-away elevation view of the tape of Fig. 1;

FIGS. 3a-f illustrate diagrammatically one embodiment of several surgical steps of the method for inserting a tape according to the invention

FIG. 4 illustrates a fastener in combination with a tape for use in inserting the tape in accordance with an alternate embodiment of the invention;

FIG. 5 illustrates an apparatus for fastening the tape into fascia in the lower abdomen;

FIGS. 6a-e illustrate diagrammatically an alternate embodiment of several surgical steps of the method for inserting a tape according to the invention; and

FIG. 7 illustrates exemplary tissues within the lower abdomen to which the tape is fastened.

#### DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

Before explaining the present invention in detail, it should be noted that the invention is not limited in its application or use to the details of construction and arrangement of parts illustrated in the accompanying drawings and description, because the illustrative embodiments of the invention may be implemented or incorporated in other embodiments, variations and modifications, and may be practiced or carried out in various ways. Furthermore, unless otherwise indicated,

the terms and expressions employed herein have been chosen for the purpose of describing the illustrative embodiments of the present invention for the convenience of the reader and are not for the purpose of limiting the invention.

The invention discloses an apparatus and method for treating SUI. A tape is  
5 passed through pelvic tissue and positioned underneath the urethra, creating a supportive sling. The tape provides a structure means for tissue ingrowth and thereby provides a newly created body tissue supporting means for the urethra. When pressure is exerted upon the lower abdomen, such as during a cough or sneeze, the tape provides support to the urethra, allowing it to keep its seal and  
10 prevent the unwanted discharge of urine.

Referring to Figs. 1a-c and 2, tape 12 comprises any tissue-compatible synthetic material, or any natural material, including, but not limited to, autologous, allograft, xenograft, a tissue engineered matrix, or a combination thereof. An exemplary synthetic material is PROLENE® polypropylene mesh, a mesh having a  
15 thickness of 0.7 mm and openings of about 1mm manufactured by Ethicon, Inc., a Johnson & Johnson company located at Somerville, New Jersey, U.S.A. This material is approved by the U.S. Food and Drug Administration for implantation into the human body. A still further embodiment of the tape 12 is a combination of a synthetic material 11 and a natural material 13 centered between the synthetic  
20 material 11. A still further embodiment of the tape 12 includes a combination of synthetic material 11 and natural material 13, whereby the natural material is placed over or incorporated within a generally central portion of the synthetic material 11. One advantage of the tape configurations is that natural material 13 is along the center region of tape 12 so that after installation of tape 12, natural material 13 is  
25 positioned below the urethra and eliminates possible erosion issues at the interface of the urethra and tape. Natural material 13 may be connected to the synthetic material 11 by means of sewing, a bio-compatible glue, cell culturing techniques or other known means.

Tape 12 may be of any convenient shape that suits the intended purpose of  
30 the invention. An exemplary width is about 1 cm and the length would be dependent upon the size of the female undergoing the procedure. Tape 12 may be single or double ply, generally planar in structure, or tubular to provide additional supporting strength and more surface area on which tissue fibers may attach.

Moreover, tape 12 may consist of different types of material, such as a bioabsorbable and non-bioabsorbable material. Tape 12 may also be coated with an antimicrobial additive to prevent or minimize infection and a lubricous coating, for example, a bioabsorbable hydrogel, to facilitate the tape passing through the tissue 5 as discussed below.

In one embodiment the tape comprises growth factors for stimulating cell growth at the interface of the tape and pubic bone. Growth factors may include natural or recombinant proteins (TGF- $\beta_1$ , TGF- $\beta_2$ , TGF- $\beta_3$ , BMP-2, BMP-4, BMP-7, pleiotrophin, bone sialoprotein, osteopontin, endothelin, PTH, sonic hedgehog), 10 mixtures (autologous growth factors, Emdogain, demineralized bone matrix, BMP extracts), transcription factors (cbfa-1), small molecules (PGE<sub>1</sub>, PGE<sub>2</sub>, peptide analogs of growth factors, P15, PTH, PTH 1-34, Chrysalin) or plasmids containing genes for any of the above molecules. Bone formation at the interface of the pubic 15 bone and tape may also be induced by adding bone marrow cells, mesenchymal stem cells, osteoblasts or microvascular tissues or engineered cell lines or primary cells.

There are many methods of attaching the growth factors to the tape, which must be chosen with a specific growth factor in mind, as is well known to those skilled in the art. Attachment methods include: covalent attachment with or without 20 a linker or spacer molecule; attachment via an affinity ligand; physical adsorption to the tape; encapsulation on the surface via polymers, liposomes or gels; lyophilization onto the mesh (with co-precipitates such as mannose or albumin); or wetting the tape at the time of surgery with a solution, gel or slurry containing the growth factor.

25 Referring to Fig. 2, the ends of the tape 12 may be modified to include an easily breakable pouch 14, 16 (not shown) containing an adhesive for bonding the tape to the pubic bone. This allows the surgeon to manipulate the tape within the body and once in place, burst the pouch to free the adhesive and bond the tape to the pubic bone as described in more detail below. Examples of bonding adhesives 30 include fibrin glues; di isocyanates; glutaraldehyde; cyano acrylates; thiolactones; carbodiimides; mussel adhesive protein; poly amino acid adhesives; photo crosslinked acrylates; PMMA (bone cement); and bis-GMA (dental cement).

The surgical procedure for implanting tape 12 is shown in Figs. 3a-e utilizing the tape embodiment of Fig. 2. In the figures the relevant parts of the female lower abdomen are disclosed, the vagina being 50, the uterus 52, the urethra 54, the pubic bone 56, the urinary bladder 58 and the abdominal wall 60.

5       The surgeon first prepares an incision in the vaginal wall, creating a tissue flap. The surgeon performs a blunt dissection of the tissue on one side of the urethra to create a channel from the vaginal incision to the pubic bone. At this point the surgeon is able to guide a finger from the vaginal incision, around the urethra and to the backside of the pubic bone. Preliminary measurements may be made to  
10 determine the length of tape required for the procedure. Preferably, multiple lengths of tape are available, each with adhesive pouches 14, 16 at both ends of the tape. For an average-sized female, tape 12 is about 10 cm long. The surgeon passes the first end of tape 12 through the incision and positions the tape end at approximately the mid-line at the back side of the pubic bone 56 and attaches the tape to the pubic  
15 bone by bursting the adhesive-containing pouch 14, simply by pressing the pouch against the pubic bone, Figs. 3a-c.

The surgeon then performs a blunt dissection of the tissue on the opposite side of the urethra and passes the second end of tape 12 through the incision in the vaginal wall and through the soft tissue, on the opposite side of the urethra than the previous end of tape 12. The surgeon may hold the tape in place while a urodynamic test is performed to check the integrity of the urethra to ensure the proper position of the tape. The position of the second end of tape 12 at the pubic bone may be adjusted according to the results of the urodynamic test. Once the proper position of the second end of tape 12 is established in relation to the pubic bone, the surgeon again bursts pouch 16 thereby releasing the bone adhesive, Figs. 3d-f. Tape 12 may further comprise means for post-operative adjustment as is described in pending U.S. patent application, serial number 09/589,242 filed on June 7, 2000, entitled Method and Apparatus for Adjusting Flexible Areal Polymer Implants, which is hereby incorporated herein by reference in its entirety.

30       Table 1, below, provides the average attachment force of BIOGLUE and DERMABOND when used to attached a PROLENE mesh tape to the pelvic bone in an animal study.

**Table 1****AVERAGE ATTACHMENT FORCE (lbs.)**

Time Period	BioGlue	DERMABOND
0 day	1.36	2.83
2 week	2.04	1.93
3 week	2.40	9.2
4 week	2.32	2.49
6 week	2.76	3.11

5

In an alternate embodiment, the ends of tape 12 are secured within fascia surrounding the pubic bone 56 using an applicator 110 (Fig. 5). This embodiment takes advantage of the Mitek Meniscal Repair System, as disclosed in United States Patent 5,941,439, and sold by Mitek, a business unit of Ethicon, Inc., a Johnson & Johnson company. A preferred applicator is product code 228000 with a 34° needle, product code 228218.

As shown in Fig. 4, an "H" fastener 20, 10mm long with 4mm legs, is attached to both ends of a tape 12. The fastener may be made biodegradeable material, such as PDS suture material or a non-biodegradeable material, such as polypropolene. One leg passes completely through one end of the tape 12, and the other leg loads into the Mitek applicator, as shown in Fig. 5.

The surgical procedure for implanting tape 12 is shown in Figs. 6a-e utilizing the tape embodiment of Fig. 4. Using the same preparatory procedures stated above, the surgeon guides the applicator through the dissected area on the right side of the urethra, Fig. 6a. The needle and tape are brought in contact with the cooper's ligament 70 at the inferior lateral aspect of the pubic bone, Fig. 6b. The fastener is deployed into the tissue where the legs are released into and captured by the tissue, Fig. 6c. The mesh is placed beneath the urethra and the second end of the tape is attached to similar tissue on the left side of the urethra, Figs. 6d-e. Adjustments to the length of the tape may be made by simply placing

the fastener at shorter or longer lengths along the tape. Further, adjustments to the length may be made after initial deployment by deploying a third fastener through the mesh and into the tissue at some shorter tape length. Again, post-operative adjustments may be accomplished via the means disclosed in U.S. patent 5 application, serial number 09/589,242.

Although the preferred embodiment for the fastener is an H-shaped device, other configurations can be utilized. Exemplary shapes may include a hooked-shaped device, arrow-shaped fasteners, and T-shaped fasteners. Further, the fastener may be a large mass, such as a knot, which is held within the tissue. Still 10 further, more than one fastener may be attached to each end of tape 12 to increase the amount of tissue captured by each fastener.

As would be appreciated by those skilled in the art, there exist multiple tissue areas within the pelvic area in which to attach the mesh. Referring to Fig. 7, examples include the obturator foramen 80, the pubourethral ligaments 90 and the 15 levator ani muscle 100.

In still a further embodiment, a guide system or cannula may be employed to guide the applicator through the tissue so that less blunt dissection is required. The cannula may be pre-dimensioned and act as a template to effectively position the application. Preferably, the cannula has graduations or dimension marks so the 20 surgeon is able to accurately determine the depth of penetration of the cannula and applicator.

A still further embodiment includes a combination of the two previous methods and apparatus. For example, the surgeon may attach the first end of the tape to the pubic bone using an adhesive as previously described and attaching the 25 second end of the tape to tissue. One advantage of this technique is that the second attachment using a fastener allows for adjustment if the tape is too loose as previously discussed.

An additional embodiment includes combining the growth factors and the fastener on both ends of the tape. The fasteners work as the primary attachment 30 modes and the growth factors work as the final attachment modes. In this case fast absorbing materials, such as collagen or regenerated cellulose can be used as the fasteners. The advantage being that the solid fasteners do not remain in the uro/genital area for any significant length of time.




It will be apparent from the foregoing that, while particular forms of the invention have been illustrated and described, various modifications can be made without departing from the spirit and scope of the invention. Accordingly, it is not intended that the invention be limited, except as by the appended claims.

## CLAIMS


We Claim:

1. A method for treating female urinary incontinence comprising the steps of:  
5 creating an access way from the vagina to the pelvic cavity;  
passing a tape having a first end and a second end into the body via the  
access way to form a loop around the urethra, the loop located between the  
urethra and the vaginal wall, and  
via the access way, attaching the ends of the tape within the pelvic cavity.  
10
2. A method for treating female urinary incontinence comprising the steps of:  
passing a tape having a first end and a second end into the body via the  
vagina to form a loop around the urethra, the loop located between the urethra  
and the vaginal wall, and  
15 bonding the ends of the tape to tissue within the pubic bone.
3. A method for treating female urinary incontinence comprising the steps of:  
passing a tape having a first end and a second end into the body via the  
vagina to form a loop around the urethra, the loop located between the urethra  
20 and the vaginal wall, and  
imbedding the first and second ends of the tape to fascia within the pelvic  
cavity.



1/13

**FIG. 1a****FIG. 1b****FIG. 1c**



2/13

**FIG. 2**



3/13

**FIG. 3a****FIG. 3b**


4/13

**FIG. 3c****FIG. 3d**


5/13


**FIG. 3e****FIG. 3f**


6/13

**FIG. 4**


7/13




**FIG. 6a**

**FIG. 6b**


10/13


**FIG. 6c**

11/13

**FIG. 6d**

12/13

**FIG. 6e**

**FIG. 7**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
12 September 2002 (12.09.2002)

PCT

(10) International Publication Number  
WO 02/069781 A3

(51) International Patent Classification<sup>7</sup>: A61B 17/08 (74) Agents: JOHNSON, Philip, S., et al.; Johnson & Johnson, 1 Johnson & Johnson Plaza, New Brunswick, NJ 08933 (US).

(21) International Application Number: PCT/US01/44167 (81) Designated States (*national*): AL, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PI, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(22) International Filing Date: 14 November 2001 (14.11.2001) (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SI, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CII, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PL, SE, TR), OAPI patent (BF, BJ, CI, CG, CL, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/252,561 22 November 2000 (22.11.2000) US  
09/891,068 25 June 2001 (25.06.2001) US

(71) Applicant: ETHICON, INC. [US/US]; U.S. Route 22, Somerville, NJ 08876 (US).


(72) Inventors: ULMSTEN, Ulf, Ridvagen 18D, S-182 35 Danderyd (SE). KAMMERER, Gene, W.; 14 Stephens Dr., East Brunswick, NJ 08816 (US).

[Continued on next page]

(54) Title: IMPROVED SURGICAL INSTRUMENT AND METHOD FOR TREATING FEMALE URINARY INCONTINENCE



WO 02/069781 A3



(57) Abstract: The invention relates to a surgical instrument and a method for treating female urinary incontinence. A tape (12) or mesh is permanently implanted into the body as a support for the urethra. In one embodiment, portions of the tape (12) comprise tissue growth factors and adhesive bonding means (14, 16) for attaching portions of the tape (12) to the pubic bone. In a further embodiment, portions of the tape (12) comprise attachment means (20) for fastening portions of the tape (12) to fascia within the pelvic cavity. In both embodiments the tape (12) is implanted with a single incision through the vaginal wall.



**Published:**

— *with international search report*

**(88) Date of publication of the international search report:**

6 February 2003

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US01/44167

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A61B 17/08  
US CL : 606/151

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 606/151, 155-158,167; 600/29, 30

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)


EAST BRS  
search terms: incontinence, tape, female, urethra, pelvic, adhesive, bond, sling

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,934,283 A (WILLEM et al.) 10 August 1999, fig. 1 and col. 6, lines 7-57.	1-3
Y	US 6,042,534 A (GELLMAN et al.) 28 March 2000, col. 16, line 20 to col. 18, line 30.	1-3

Further documents are listed in the continuation of Box C.  See patent family annex.

* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A"	document defining the general state of the art which is not considered to be of particular relevance	
"B"	earlier document published on or after the international filing date	"X"
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"O"	document referring to an oral disclosure, use, exhibition or other means	"Y"
"P"	documents published prior to the international filing date but later than the priority date claimed	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
	"S"	document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
25 JUNE 2002	05 SEP 2002
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231	Authorized officer: 
Faxsimile No. (703) 305-3250	Telephone No. (703) 305-0421